

3rd Floor, Pegasus House  
463A Glossop Road  
Sheffield S10 2QD  
E-mail: neqas@coageqa.org.uk  
Website: www.ukneqasbc.org

Professor ID Walker (Director)  
Tel: +44 (0)114 267 3300

# Certificate Of Registration 2022/2023

**Participant Number : 30638**

**Participant:** . .

Institute of Haematology  
Ingrid Hrachovinova  
Coagulation Lab  
U nemocnice 1  
128 20 Praha 2  
Czech Republic

The above laboratory is registered in the UK NEQAS (Blood Coagulation) for the assessment of the following tests:

**Level 1 participation:**

Prothrombin time for oral anticoagulant control:

- |                                   |                                     |                            |                                     |
|-----------------------------------|-------------------------------------|----------------------------|-------------------------------------|
| 1 Quick's one stage               | <input checked="" type="checkbox"/> | 15 Factor IX:C assay       | <input checked="" type="checkbox"/> |
| 2 Capillary reagent method        | <input type="checkbox"/>            | 16 Factor X assay          | <input checked="" type="checkbox"/> |
| 3 Prothrombin time for diagnosis: | <input checked="" type="checkbox"/> | 17 Factor XI assay         | <input checked="" type="checkbox"/> |
| 4 APTT                            | <input checked="" type="checkbox"/> | 18 Factor XII assay        | <input checked="" type="checkbox"/> |
| 5 Thrombin time                   | <input checked="" type="checkbox"/> | 19 VWF antigen             | <input checked="" type="checkbox"/> |
| 6 Heparin dosage assessment       | <input checked="" type="checkbox"/> | 20 VWF: RiCof activity     | <input checked="" type="checkbox"/> |
| 7 Heparin assay                   | <input checked="" type="checkbox"/> | 21 VWF: Collagen Binding   | <input checked="" type="checkbox"/> |
| 8 Fibrinogen: Clauss assay        | <input checked="" type="checkbox"/> | 22 Antithrombin Antigen    | <input checked="" type="checkbox"/> |
| 9 D-Dimer / FDP                   | <input checked="" type="checkbox"/> | 23 Antithrombin Activity   | <input checked="" type="checkbox"/> |
| 10 Lupus anticoagulant            | <input type="checkbox"/>            | 24 Protein C Antigen       | <input checked="" type="checkbox"/> |
|                                   |                                     | 25 Protein C Activity      | <input checked="" type="checkbox"/> |
|                                   |                                     | 26 Protein S Total Antigen | <input checked="" type="checkbox"/> |
|                                   |                                     | 27 Protein S Free Antigen  | <input checked="" type="checkbox"/> |
|                                   |                                     | 28 Protein S Activity      | <input checked="" type="checkbox"/> |
|                                   |                                     | 29 Plasminogen             | <input type="checkbox"/>            |
|                                   |                                     | 30 APCR                    | <input checked="" type="checkbox"/> |

**Level 2 participation:**

- |                        |                                     |
|------------------------|-------------------------------------|
| 11 Factor II assay     | <input checked="" type="checkbox"/> |
| 12 Factor V assay      | <input checked="" type="checkbox"/> |
| 13 Factor VII assay    | <input checked="" type="checkbox"/> |
| 14 Factor VIII:C assay | <input checked="" type="checkbox"/> |

Registration in the UK NEQAS (Coagulation) is no indication of either active participation or quality of performance. Information on these must be obtained directly from the Head of the above laboratory.

Signature..... *Isobel D Walker*

Date 17/05/2022

